


Appl. No. 10/542,782  
Reply to Office Action of June 15, 2007  
Attorney Docket No. 26866U



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re patent application of:

HOFSTETTER, et al.

Confirmation No. 9237

Serial No. 10/542,782

Group Art Unit: 1722

Filed: July 20, 2005

Examiner: E. Luk

For: **HYDRAULIC SYSTEM FOR A SLIDE**

**RESPONSE AND AMENDMENT UNDER 37 C.F.R. §1.111**

MS Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

This is a full and complete response to the Office Action mailed June 15, 2007. The three month shortened statutory period to respond to the Office Action was set to expire September 15, 2007. Thus, a petition for a three-month extension of time is included with this paper.

In view of the following amendments and remarks, Applicants respectfully request that the Examiner reconsider and withdraw the outstanding rejections and allow this application.

**Amendments to the Specification** begin on page **2** of this paper.

**Amendments to the Claims** are reflected in a listing of claims, which begins on page **3** of this paper.

**Amendments to the Drawings** begin on page **5** of this paper.

**Remarks/Arguments** begin on page **6** of this paper.